

Applicant: Boney A. Mathew
Serial No.: 10/603,549
Amendment dated August 27, 2004
Reply to Office Action dated June 17, 2004

IN THE CLAIMS:

Please amend the claims as follows:

CLAIMS

What is claimed is:

1. **(Currently Amended)** A method (10) of making a part comprising the steps of:-

 placing an insert (12) having sides (14) and an open top (16) and a bottom surface (18) into a mold cavity(20),

 injecting an insulating layer composition (28) into said mold cavity (20) to bond to the bottom surface (18) and the sides (14) of the insert (12) to form an insulating layer (30) of a thermoset elastomer with said insulating layer (30) having sides (32) and a bottom (34) to expose the open top (16), and

 injecting a part composition (44) over the bottom (34) and the sides (32) of the insulating layer (30) to expose the open top (16).

2. **(Previously Presented)** A method (10) as set forth in claim 1 further defined as placing the insert (12) with the insulating layer (30) into a second mold cavity (36) in a second mold (42) and injecting the part composition (44) into said second mold cavity (36).

3. **(Cancelled)**

4. **(Previously Presented)** A method (10) as set forth in claim 2 wherein said thermoset elastomer includes a filler.

5. **(Cancelled)**

6. **(Cancelled)**

7. **(Previously Presented)** A method (10) as set forth in claim 6 including forming the insulating layer (30) from a compressive polymer.

8. **(Previously Presented)** A method (10) as set forth in claim 7 wherein said compressive polymer includes a filler.

9. **(Previously Presented)** A method (10) as set forth in claim 8 including forming the insert (12) with a base (50) extending outwardly from the bottom surface (18) of the insert (12).

10. **(Previously Presented)** A method (10) as set forth in claim 9 including forming the insert (12) with at least one anchor (68) extending outwardly from the sides (14) and between the open top (16) and the bottom surface (18) of the insert (12).

11. **(Previously Presented)** A method (10) as set forth in claim 10 including forming the insert (12) into said second mold cavity (36) is further defined as placing the insert (12) with a threaded bore (52) extending inwardly from the open top (16) to the bottom surface (18).

12. **(Previously Presented)** A method (10) as set forth in claim 11 including forming the insert (12) into said second mold cavity (36) is further defined as placing the insert (12) with a pin (69) having an external male thread (70).

13. **(Previously Presented)** A method (10) as set forth in claim 12 including forming the insert (12) with a rectangular configuration.

14. **(Previously Presented)** A method (10) as set forth in claim 13 including forming the insert (12) with a round configuration.

15. **(Previously Presented)** A method (10) as set forth in claim 14 including forming the insert (12) from a polymer.

16. **(Previously Presented)** A method (10) as set forth in claim 15 including forming the insert (12) from a metal.

17. **(Previously Presented)** A method (10) as set forth in claim 1 including forming a shell (54) having inner (56) and outer (58) surfaces and a boss section (60) extending outwardly from the inner surface (56).

18. **(Previously Presented)** A method (10) as set forth in claim 17 including forming the boss section (60) with top (62) and bottom (64) ends and a cavity (66) extending inwardly from the top end (62) to the bottom end (64) to hold the insert (12).

19. **(Previously Presented)** A method (10) as set forth in claim 18 including forming the shell (54) from a polymer.

20. **(Previously Presented)** A method (10) as set forth in claim 19 including adding a dye to the part composition (44) before injecting the part composition (44) into said second mold cavity (36).

21. **(Previously Presented)** A method (10) as set forth in claim 20 including adding a pigment to the part composition (44) before injecting the part composition (44) into said second mold cavity (36).

Applicant: Boney A. Mathew
Serial No.: 10/603,549
Amendment dated August 27, 2004
Reply to Office Action dated June 17, 2004

22. **(Previously Presented)** A method (10) as set forth in claim 21 including injecting a paint (48) into said second mold cavity (36) over the part composition (44).